

AVATARA

DESIGN FLOOR 3.0


Price list

Valid from 01.10.2020
All prices are excluding VAT

AVATARA

PERFORM

SINCE 1959
MADE IN GERMANY



Content

Product overview	4-9
Avatara Wood Edition	4-7
Avatara Stone Edition	8-9
Skirtings	10-13
Product overview according to technical properties	14-15
Dimensions Avatara:	14-15
776 x 387 x 6 mm	
1290 x 203 x 6 mm	
1800 x 246 x 6 mm	
Accessories	16-33
Design	16-23
Installation	24-28
Care and maintenance	29-33



Underfloor heating
Suitable for hot water and electric underfloor heating systems.
For electric surface heating systems with gentle warm-up technology and temperature control unit.




Warranty
Avatara Design Floors are characterised by the highest quality made in Germany. All Avatara Design Floors are guaranteed for 20 years for domestic use and 10 years for commercial use.



Healthy living
All Avatara design floors by ter Hürne are particularly low in emissions, proven to be free from pollutants and therefore healthy for living. This certainty is provided by the strict test catalogue of the renowned eco-institute.



*Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions).




Slip proof and flame resistant.



ID	Product name	Design	Surface	Gloss	Thick-ness (mm)	Length (mm)	Width (mm)	long plank	Groove	Impact sound insu-lation	Slip resistance	Surface no.	Article no.	Price excl. VAT (£/m²)	Contents per box (piece)	Contents per box (m²)	Contents per pallet (box)	Contents per pallet (m²)	Weight of box (kg)	Weight of pallet (kg)
W01	Oak Midea*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2744	1101250210	40.33	6	2.657	42	111.59	18.23	785
W02	Oak Alegra*	3-Strip	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2743	1101250115	37.81	9	2.357	48	113.14	16.17	796
W03	Pine Xara*	plank	brushed	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2712	1101250112	37.81	9	2.357	48	113.14	16.17	796
W04	Oak Tempra*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2742	1101250114	37.81	9	2.357	48	113.14	16.17	796
W05	Oak Juno*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2741	1101250209	40.33	6	2.657	42	111.59	18.23	785
W06	Oak Janus*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2745	1101250116	37.81	9	2.357	48	113.14	16.17	796
W07	Oak Eris*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2739	1101250205	40.33	6	2.657	42	111.59	18.23	785
W08	Oak Nova*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2737	1101250113	37.81	9	2.357	48	113.14	16.17	796
W09	Oak Brava*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2753	1101250120	37.81	9	2.357	48	113.14	16.17	796
W10	Oak Apera*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2735	1101250101	37.81	9	2.357	48	113.14	16.17	796
W11	Oak Kronos*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2755	1101250121	37.81	9	2.357	48	113.14	16.17	796

Colour reproductions are not binding. | *Wood-/ Stone reproduction

Technical properties of all products



ID	Product name	Design	Surface	Gloss	Thick-ness (mm)	Length (mm)	Width (mm)	long plank	Groove	Impact sound insu-lation	Slip resistance	Surface no.	Article no.	Price excl. VAT (£/m ²)	Contents per box (piece)	Contents per box (m ²)	Contents per pallet (box)	Contents per pallet (m ²)	Weight of box (kg)	Weight of pallet (kg)
W12	Oak Solaris*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2749	1101250212	40.33	6	2.657	42	111.59	18.23	785
W13	Oak Artemis*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2747	1101250211	40.33	6	2.657	42	111.59	18.23	785
W14	Oak Vera*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2748	1101250118	37.81	9	2.357	48	113.14	16.17	796
W15	Oak Sirius*	long plank	registered embossed/structured	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2738	1101250204	40.33	6	2.657	42	111.59	18.23	785
W16	Oak Tebora*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2746	1101250117	37.81	9	2.357	48	113.14	16.17	796
W17	Oak Banta*	plank	registered embossed/structured	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2752	1101250119	37.81	9	2.357	48	113.14	16.17	796
W18	Oak Aurora*	plank	brushed	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2703	1101250103	37.81	9	2.357	48	113.14	16.17	796
W19	Teak Maia*	long plank	brushed	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2722	1101250208	40.33	6	2.657	42	111.59	18.23	785
W20	Oak Gemma*	long plank	brushed	matt	6	1800	246	•	4-sided V-groove	•	R9 / DS	2717	1101250203	40.33	6	2.657	42	111.59	18.23	785
W21	Oak Antares*	plank	brushed	matt	6	1290	203	-	4-sided V-groove	•	R9 / DS	2704	1101250104	37.81	9	2.357	48	113.14	16.17	796

Colour reproductions are not binding. | *Wood-/ Stone reproduction


Technical properties of all products



ID	Product name	Design	Surface	Gloss	Thick-ness (mm)	Length (mm)	Width (mm)	long plank	Groove	Impact sound insu-lation	Slip resistance	Surface no.	Article no.	Price excl. VAT (£/m²)	Contents per box (piece)	Contents per box (m²)	Contents per pallet (box)	Contents per pallet (m²)	Weight of box (kg)	Weight of pallet (kg)
X01	Stone Pandora*	tile	split/coarse	matt	6	776	387	-	4-sided V-groove	•	R9 / DS	2754	1101250314	42.01	8	2.402	45	108.09	16.48	762
X02	Stone Delphi*	tile	sanded	matt	6	776	387	-	4-sided V-groove	•	R9 / DS	2750	1101250312	42.01	8	2.402	45	108.09	16.48	762
X03	Stone Terra*	tile	broken/coarse	matt	6	776	387	-	4-sided V-groove	•	R10 / DS	2733	1101250310	42.01	8	2.402	45	108.09	16.48	762
X04	Stone Talos*	tile	split/coarse	matt	6	776	387	-	4-sided V-groove	•	R9 / DS	2729	1101250306	42.01	8	2.402	45	108.09	16.48	762
X05	Stone Mitra*	tile	broken/coarse	matt	6	776	387	-	4-sided V-groove	•	R10 / DS	2724	1101250301	42.01	8	2.402	45	108.09	16.48	762
X06	Stone Stella*	tile	sanded	matt	6	776	387	-	4-sided V-groove	•	R9 / DS	2751	1101250313	42.01	8	2.402	45	108.09	16.48	762
X07	Stone Zelos*	tile	broken/coarse	matt	6	776	387	-	4-sided V-groove	•	R10 / DS	2731	1101250308	42.01	8	2.402	45	108.09	16.48	762
X08	Stone Minos*	tile	split/coarse	matt	6	776	387	-	4-sided V-groove	•	R9 / DS	2727	1101250304	42.01	8	2.402	45	108.09	16.48	762
X09	Stone Atlas*	tile	broken/coarse	matt	6	776	387	-	4-sided V-groove	•	R10 / DS	2725	1101250302	42.01	8	2.402	45	108.09	16.48	762

Colour reproductions are not binding. | *Wood-/ Stone reproduction

Technical properties of all products



Accessories		SKL 60** (2600 x 20 x 60 mm)								
ID	Product name	Surface no.	SKL 60	Price excl. VAT (£/lin.m.)	Inside corner	Price excl. VAT (£/box)	Outside corner	Price excl. VAT (£/box)	End cap	Price excl. VAT (£/box)
W01	Oak Midea*	2744	1101040609	5.03	-	-	-	-	-	-
W02	Oak Alegria*	2743	1101040607	5.03	-	-	-	-	-	-
W03	Pine Xara*	2712	-	-	-	-	-	-	-	-
W04	Oak Temptra*	2742	1101040606	5.03	-	-	-	-	-	-
W05	Oak Juno*	2741	1101040514	5.03	45646	4.19	45706	4.19	45766	3.35
W06	Oak Janus*	2745	1101040506	5.03	-	-	-	-	-	-
W07	Oak Eris*	2739	1101040520	5.03	-	-	-	-	-	-
W08	Oak Nova*	2737	1101040547	5.03	-	-	-	-	-	-
W09	Oak Brava*	2753	1101040520	5.03	-	-	-	-	-	-
W10	Oak Apera*	2735	-	-	-	-	-	-	-	-
W11	Oak Kronos*	2755	1101040520	5.03	-	-	-	-	-	-
W12	Oak Solaris*	2749	1101040506	5.03	-	-	-	-	-	-
W13	Oak Artemis*	2747	1101040610	5.03	45646	4.19	45706	4.19	45766	3.35
W14	Oak Vera*	2748	1101040608	5.03	-	-	-	-	-	-
W15	Oak Sirius*	2738	1101040508	5.03	45646	4.19	45706	4.19	45766	3.35
W16	Oak Tebora*	2746	1101040504	5.03	-	-	-	-	-	-
W17	Oak Banta*	2752	1101040508	5.03	-	-	-	-	-	-
W18	Oak Aurora*	2703	1101040514	5.03	45646	4.19	45706	4.19	45766	3.35
W19	Teak Maia*	2722	1101040551	5.03	-	-	-	-	-	-
W20	Oak Gemma*	2717	1101040504	5.03	45868	4.19	45898	4.19	45928	3.35
W21	Oak Antares*	2704	1101040513	5.03	-	-	-	-	-	-

*Wood-/ Stone reproduction

** The colour of the skirtings is exactly matched to the design.
Dimension: 2600 x 20 x 60 mm.
The skirtings are packaged individually and are supplied with clips, screws and dowels.

Accessories		SKL 60** (2600 x 20 x 60 mm)								
ID	Product name	Surface no.	SKL 60	Price excl. VAT (£/lin.m.)	Inside corner	Price excl. VAT (£/box)	Outside corner	Price excl. VAT (£/box)	End cap	Price excl. VAT (£/box)
X01	Stone Pandora*	2754	-	-	-	-	-	-	-	-
X02	Stone Delphi*	2750	-	-	-	-	-	-	-	-
X03	Stone Terra*	2733	1101040559	5.03	-	-	-	-	-	-
X04	Stone Talos*	2729	1101040556	5.03	-	-	-	-	-	-
X05	Stone Mitra*	2724	1101040552	5.03	-	-	-	-	-	-
X06	Stone Stella*	2751	1101040611	5.03	-	-	-	-	-	-
X07	Stone Zelos*	2731	1101040557	5.03	-	-	-	-	-	-
X08	Stone Minos*	2727	1101040555	5.03	-	-	-	-	-	-
X09	Stone Atlas*	2725	1101040553	5.03	-	-	-	-	-	-

*Wood-/ Stone reproduction

** The colour of the skirtings is exactly matched to the design.
Dimension: 2600 x 20 x 60 mm.
The skirtings are packaged individually and are supplied with clips, screws and dowels.

Product overview

According to technical properties

Dimension: 776 mm x 387 mm x 6 mm

Groove	Design	Product name	Surface	Gloss	ID	Surface no.	Article no.	Price excl. VAT (£/m²)	Range	SKL 60	Packaging unit
4-sided V-groove	tile	Stone Delphi*	sanded	matt	X02	2750	1101250312	42.01	STONE EDITION	-	1
4-sided V-groove	tile	Stone Stella*	sanded	matt	X06	2751	1101250313	42.01	STONE EDITION	1101040611	
4-sided V-groove	tile	Stone Terra*	broken/coarse	matt	X03	2733	1101250310	42.01	STONE EDITION	1101040559	
4-sided V-groove	tile	Stone Pandora*	split/coarse	matt	X01	2754	1101250314	42.01	STONE EDITION	-	
4-sided V-groove	tile	Stone Atlas*	broken/coarse	matt	X09	2725	1101250302	42.01	STONE EDITION	1101040553	
4-sided V-groove	tile	Stone Mitra*	broken/coarse	matt	X05	2724	1101250301	42.01	STONE EDITION	1101040552	
4-sided V-groove	tile	Stone Talos*	split/coarse	matt	X04	2729	1101250306	42.01	STONE EDITION	1101040556	
4-sided V-groove	tile	Stone Minos*	split/coarse	matt	X08	2727	1101250304	42.01	STONE EDITION	1101040555	
4-sided V-groove	tile	Stone Zelos*	broken/coarse	matt	X07	2731	1101250308	42.01	STONE EDITION	1101040557	

Dimension: 1290 mm x 203 mm x 6 mm

Groove	Design	Product name	Surface	Gloss	ID	Surface no.	Article no.	Price excl. VAT (£/m²)	Range	SKL 60	Packaging unit
4-sided V-groove	plank	Oak Janus*	registered embossed/structured	matt	W06	2745	1101250116	37.81	WOOD EDITION	1101040506	2
4-sided V-groove	plank	Oak Tebora*	registered embossed/structured	matt	W16	2746	1101250117	37.81	WOOD EDITION	1101040504	
4-sided V-groove	plank	Oak Apera*	registered embossed/structured	matt	W10	2735	1101250101	37.81	WOOD EDITION	-	
4-sided V-groove	plank	Oak Vera*	registered embossed/structured	matt	W14	2748	1101250118	37.81	WOOD EDITION	1101040608	
4-sided V-groove	3-Strip	Oak Alegria*	registered embossed/structured	matt	W02	2743	1101250115	37.81	WOOD EDITION	1101040607	
4-sided V-groove	plank	Oak Brava*	registered embossed/structured	matt	W09	2753	1101250120	37.81	WOOD EDITION	1101040520	
4-sided V-groove	plank	Oak Banta*	registered embossed/structured	matt	W17	2752	1101250119	37.81	WOOD EDITION	1101040508	
4-sided V-groove	plank	Oak Temptra*	registered embossed/structured	matt	W04	2742	1101250114	37.81	WOOD EDITION	1101040606	
4-sided V-groove	plank	Oak Kronos*	registered embossed/structured	matt	W11	2755	1101250121	37.81	WOOD EDITION	1101040520	
4-sided V-groove	plank	Pine Xara*	brushed	matt	W03	2712	1101250112	37.81	WOOD EDITION	-	
4-sided V-groove	plank	Oak Nova*	registered embossed/structured	matt	W08	2737	1101250113	37.81	WOOD EDITION	1101040547	
4-sided V-groove	plank	Oak Antares*	brushed	matt	W21	2704	1101250104	37.81	WOOD EDITION	1101040513	
4-sided V-groove	plank	Oak Aurora*	brushed	matt	W18	2703	1101250103	37.81	WOOD EDITION	1101040514	

Dimension: 1800 mm x 246 x 6 mm

Groove	Design	Product name	Surface	Gloss	ID	Surface no.	Article no.	Price excl. VAT (£/m²)	Range	SKL 60	Packaging unit
4-sided V-groove	long plank	Oak Eris*	registered embossed/structured	matt	W07	2739	1101250205	40.33	WOOD EDITION	1101040520	3
4-sided V-groove	long plank	Oak Gemma*	brushed	matt	W20	2717	1101250203	40.33	WOOD EDITION	1101040504	
4-sided V-groove	long plank	Oak Sirius*	registered embossed/structured	matt	W15	2738	1101250204	40.33	WOOD EDITION	1101040508	
4-sided V-groove	long plank	Oak Artemis*	registered embossed/structured	matt	W13	2747	1101250211	40.33	WOOD EDITION	1101040610	
4-sided V-groove	long plank	Teak Maia*	brushed	matt	W19	2722	1101250208	40.33	WOOD EDITION	1101040551	
4-sided V-groove	long plank	Oak Juno*	registered embossed/structured	matt	W05	2741	1101250209	40.33	WOOD EDITION	1101040514	
4-sided V-groove	long plank	Oak Midea*	registered embossed/structured	matt	W01	2744	1101250210	40.33	WOOD EDITION	1101040609	
4-sided V-groove	long plank	Oak Solaris*	registered embossed/structured	matt	W12	2749	1101250212	40.33	WOOD EDITION	1101040506	

*Wood-/ Stone reproduction

Packaging unit	Contents per box (piece)	Contents per box (m²)	Contents per pallet (box)	Contents per pallet (m²)	Weight of box (kg)	Weight of pallet (kg)
1	8	2,402	45	108,09	16,48	762
2	9	2,357	48	113,14	16,17	796
3	6	2,657	42	111,59	18,23	785

Accessories

Perfectly adapted for added comfort and function

The big advantage: You can easily find the right accessories for every floor. They are individually matched for each range and enhance every room – technically and visually.

Design


Skirtings | Profiles

Care and maintenance

Cleaning | Repair

Installation

Underlay material | Installation



Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Orientation system

Please note the identification markings of each floor category.

○.....○

Decor match

A01

Colour matching skirtings as well as the skirting corner & end caps can be found in the respective „product overview according to colour worlds“. Simple matching of the floor to its accessories by the ID-code.

Accessories

Design

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•						

Veneered skirtings

Veneer skirtings complete the look in the expressive space the parquet floor has created. They form an aesthetic transition to the walls and neatly conceal cables. In the comprehensive ter Hürne range with its numerous shapes and colours you will be able to find the right skirting for your floor.

► [Decor match floors price list](#)



Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Decor skirtings

ter Hürne has a comprehensive selection of decor skirtings to complement many decors. The variations of colour, shape and wood types ensures the ideal transition from floor to wall.

► [Decor match floors price list](#)



Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Neutral skirtings and skirting caps SKL 20/40/60




Neutral skirtings and skirting caps	SKL 20				SKL 40		SKL 60 incl. 6 clips		
	Skirting (£/lin.m.)	Inside corners (£/pack)	Outside corners (£/pack)	End caps (£/pack)	Skirting (£/lin.m.)	Skirting (£/lin.m.)	Inside corners (£/pack)	Outside corners (£/pack)	End caps (£/pack)
Price excl. VAT (£)	3,35	4,19	4,19	3,35	2,51	4,19	4,19	4,19	3,35
L x W x H (mm)	2600 x 22 x 40	-	-	-	2600 x 19 x 40	2600 x 20 x 60	-	-	-
Contents per pack (pieces/metres)	5/13	-	-	-	5/13	5/13	-	-	-
Contents per pack (pieces)	-	2	2	2	-	-	2	2	2
Master carton (skirtings/packs)	30	10	10	10	30	30	10	10	10
Black	28771**	-	-	-	-	1101040263	-	-	-
Silver brushed	1101040127	45851	45881	45911	-	1101040227	45867	45897	45927
White (can be painted)	1101040333	45850	45880	45910	1101040030	1101040334 29214*	45866	45896	45926
Crystal white	-	-	-	-	1101040031	1101040034 1101040529*	-	-	-
Light grey	-	-	-	-	1101040032	1101040035	-	-	-
Grey	-	-	-	-	1101040033	1101040036	-	-	-

*Without fastenng clips, available in bundles of 10 pieces, price 3,57 £ lin.m without VAT
** While stocks last.

Clips for SKL 20 for SKL 20, 40, P60, G70 (included in SKL 60)	Art no.	97027
30 clips, incl. dowels and screws for approx. 15 m skirting. Master carton: 50 boxes	Price excl. VAT (£)	10,08

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Neutral skirtings Type P & G



Neutral skirtings (MDF core)	SKL P60*	SKL G70*	SKL P90	SKL P100	SKL G100	SKL P120
Price excl. VAT (£/lin.m.)	3,35	3,78	4,19	4,19	4,19	4,41
L x W x H (mm)	2600 x 18 x 60	2600 x 18 x 70	2600 x 18 x 90	2600 x 18 x 100	2600 x 18 x 100	2600 x 18 x 120
Contents per pack (pieces/metres)	5/13	5/13	5/13	5/13	5/13	5/13
Master carton (pieces)	30	30	30	30	30	30
White matt (can be painted)	1101040021	1101040047	1101040020	1101040332	1101040331	1101040330
Crystal white	1101040038	1101040044	1101040037	1101040043	1101040042	1101040041
Light grey	1101040039	1101040045	-	-	-	-
Grey	1101040040	1101040046	-	-	-	-

*Clips for SKL 20, 40, P60, G70 (included in SKL 60)	Art no.	97027
30 clips, incl. dowels and screws for approx. 15 m skirting. Master carton: 50 boxes	Price excl. VAT (£)	10,08

Simple article description:
Instead of 1-5 we use „P“ for profiled and „G“ for straight skirtings in combination with the height of the skirting.



Colour reproductions are not binding.

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Corners Type P & G




Square bar
- white matt, can be painted
- can be used as inside and outside corner as well as end cap for SKL P & G
- fixing: glue

Height x width x thickness (mm)	125 x 22 x 22
Pack (pieces)	4
Master carton (packs)	20
Art no.	1101060102
Price excl. VAT (£/pack)	8,40

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Corners Type P60/P90/P120





Material: same as skirtings, MDF core, side length 50 mm	Inside corners			Outside corners		
	SKL P60	SKL P90	SKL P120	SKL P60	SKL P90	SKL P120
Price excl. VAT (£/box)	5,03	5,03	5,87	5,03	5,03	5,87
Pack (pieces)	1	1	1	1	1	1
Master carton (packs)	10	10	10	10	10	10
White matt (can be painted)	1101060157	1101060156	1101060158	1101060160	1101060159	1101060161
Crystal white	1101060163	1101060162	1101060164	1101060166	1101060165	1101060167
Light grey	1101060168	-	-	1101060169	-	-
Grey	1101060170	-	-	1101060171	-	-



Colour reproductions are not binding.

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Aluminium skirting M60 self-adhesive



Aluminium skirting M60	Skirting M60 (£/lin.m.)	End caps left/right (£/pack)	Outside corners 90° (£/pack)	Inside corners 90° (£/pack)	Connection element (£/pack)
Price excl. VAT	11,76	6,71	7,55	7,55	6,71
L x W x H (mm)	2500 x 12 x 60	-	-	-	-
Contents per pack (pieces/metres)	10/25	-	-	-	-
Contents per pack (pieces)	-	1	2	2	2
Master carton (skirtings/packs)	10	2	2	2	2
Stainless steel effect finely polished	1101040338	1101060143	1101060144	1101060145	1101060146

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Skirting caps, radiator pipe trims

Material: plastic	Inside corners		Outside corners		End caps		Radiator pipe trims Suitable for heating pipe diametres of 15/18/22 mm
	SKL 20	SKL 60	SKL 20	SKL 60	SKL 20	SKL 60	
Price excl. VAT (£/box)	4,19	4,19	4,19	4,19	3,35	3,35	5,03
Pack (pieces)	2	2	2	2	2	2	2
Master carton (packs)	10	10	10	10	10	10	20
Beech*	-	45642	-	45702	-	45762	-
Brown*	45852**	45868	45882**	45898	45912**	45928	-
Hard Maple*	45603**	45643	45663**	45703	-	45763	-
Oak*	-	45646	-	45706	-	45766	-
Silver brushed*	45851	45867	45881	45897	45911	45927	-
Titanium matt*	-	45650	-	45710	-	45770	45536
White	45850	45866	45880	45896	45910	45926	45537
White beige*	-	45654	-	45714	-	45778	-



Colour reproductions are not binding.


*Wood/metal reproduction. | ** While stocks last.

Accessories

Design

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Metal profiles for screwing



Transition profile, UES 716	Flexible transition profile, UEF 717	Adapter profile, ANS 716
For floors of the same thickness: between 6,5 and 16 mm, for floors of different thickness: +3 mm	For floors of the same thickness: between 7 and 17 mm, for floors of different thickness: 3 to 23 mm	For floor height 6,5-16 mm
Pieces/pack: 1, pieces/master carton: 10		

Finishing profile, ABS 716	Stair profile, TRS 716
For floor height 6,5-16 mm	For floor height 7-16 mm
Pieces/pack: 1, pieces/master carton: 10	

Metal profiles for screwing	Transition profile, UES 716			Flexible transition profile, UEF 717		Adapter profile, ANS 716			Finishing profile, ABS 716		Stair profile, TRS 716	
Length (mm)	900	1000	2700	900	2700	900	1000	2700	900	2700	1000	2700
Width (mm)	34	34	34	38	38	44	44	44	21	21	27	27
Price excl. VAT (£/piece)	15,55	18,07	45,37	18,91	53,77	15,55	18,07	45,37	15,55	45,37	23,95	68,90
Stainless steel	1101060202	1101060217	1101060211	1101060220	1101060223	1101060196	1101060214	1101060205	1101060199	1101060208	1101060229	1101060232
Sand	1101060201	1101060216	1101060210	1101060219	1101060222	1101060195	1101060213	1101060204	1101060198	1101060207	1101060228	1101060231
Silver	1101060200	1101060215	1101060209	1101060218	1101060221	1101060194	1101060212	1101060203	1101060197	1101060206	1101060227	1101060230

Profile elevation 8 mm: 1 pack/metre, 16 mm elevation: 2 packs/metre. 3 pieces/pack, 10 packs/master carton, approx. 230 mm length	Can be used with all metal profiles with basic profile.
Art no.	1101060233
Price excl. VAT (£/pack)	7,55




Accessories

Design

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Metal profiles for screwing




Transition profile, UES 037	Adapter profile, ANS 037	Finishing profile, ABS 037	Stair profile, TRS 045
For floors of the same thickness: between 2,5 and 7 mm, for floors of different thickness: +3 mm	For floor heights 2.5 - 7mm adjacent to lesser thicknesses such as carpet, PVC, etc.	For neat finishes of floor heights 2.5 - 7 mm next to higher adjacent thresholds, fireplaces, tiles, French windows or other raised surfaces.	For vinyl floors 4 and 5 mm
Pieces/pack: 1, pieces/master carton: 10			

Metal profiles for vinyl tiles (solid vinyl) for screwing	Transition profile, UES 037		Adapter profile, ANS 037		Finishing profile, ABS 037		Stair profile, TRS 045
Length (mm)	900	2700	900	2700	900	2700	2700
Width (mm)	30	30	35	35	20	20	41
Price excl. VAT (£/piece)	14,71	42,01	14,71	42,01	14,71	42,01	28,15
Stainless steel	1101060184	1101060193	1101060178	1101060187	1101060181	1101060190	1101060226
Sand	1101060183	1101060192	1101060177	1101060186	1101060180	1101060189	1101060225
Silver	1101060182	1101060191	1101060176	1101060185	1101060179	1101060188	1101060224

Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)
•	•	•	•	•	•	•

Metal profiles self-adhesive



Metal profiles self-adhesive	Wall finishing profile, WAS				
	Art no.	Length (mm)	Width (mm)	Height (mm)	Price excl. VAT (£/piece)
Sand	1101060173	2700	18	12	20,16
Silver	1101060172	2700	18	12	20,16
Stainless steel	1101060174	2700	18	12	20,16
White	1101060175	2700	18	12	24,36

Pieces/pack: 1, pieces/master carton: 10

Underlay material – Properties

Footfall sound reduction

Footfall sound is the sound heard in the same room (possibly disturbing) when a floor is used. This can be caused by walking as well as by putting down / dropping / moving of objects. Underlay materials can effectively reduce these sounds.

Impact sound reduction

Impact sound is created when the floor is walked or jumped upon, but also when a chair is moved across it and describes the noise levels in the rooms below. Underlay material can significantly insulate impact sound which is foremost directed downwards.

Compression strength

The higher the compression strength of the underlay, the better the punctual load tolerance.

Moisture protection

Humidity rising from the subfloor, which is found in every inhabited building due to the influences of climate and living conditions can damage floor coverings. Underlay materials with moisture barriers effectively prevent humidity from penetrating wood floors.

Heat resistance

The higher the thermal resistance of an underlay material, the better its insulating property between the sub-surface and the installed wood floor. For application on underfloor heating it is important that this value is as low as possible.

Anti-slip effect

A special surface coating hinders the movement of the plank on the underlay material and enhances the long-term durability of the connection between the planks.


Underlay material – Recommendations for compatibility by ter Hürne

Underlay material	Parquet	Avatara (Perform)	Laminate dueco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Heat resistance (R)	Levelling of unevenness (PC)	Protection against moisture (SD)	Dynamic load (DL25)	Continuous stress from static load (CC)	Temporary stress from loads (CS)	Protection against falling objects (RLB)	Impact sound reduction (IS)	Reflected footfall sound reduction (RWS)	Art no.
Foam mat, 2 mm	•	•	•				***	***	no protection	***	**	***	*****	*****	***	1101060268
Combi PE foam with aluminium lining, 2mm	•	•	•				**	***	*****	*	*	*	*****	*****	**	1101060265
Combi PE foam film with aluminium lining, 2mm	•	•	•				**	***	*****	*	*	**	*****	*****	**	1101060266
Installation insulating board, 5 mm	•	•	•				—*1	*****	no protection	*****	***	***	*****	*****	*****	45515
AkusTec mat with fleece lining, 2 mm	•	•	•				*****	**	no protection	*****	*****	*****	***	***	*****	1101060072
AkusTec mat with aluminium lining, 2 mm*	•	•	•				*****	**	****	*****	*****	*****	***	***	*****	1101060101
AkusTec mat with aluminium lining, 3 mm	•	•	•				*****	*****	****	*****	*****	*****	***	***	*****	1101060073
AkusTec mat Luxury Vinyl Tiles* with fleece lining, 1,5 mm							*****	*	no protection	****	*****	*****	**	**	****	1101060137
AkusTec mat LVT Pro with one-sided adhesive film and fleece lining, 1,8 mm						•	*****	**	no protection	****	*****	*****	***	**	**	1101060092

*only for solid vinyl floors; end of line

Note: * = suitable to ***** = highly recommended
—*1 = not recommended

Underlay material



Foam mat



Combi PE foam with aluminium lining



Combi PE foam film with aluminium lining



Installation insulating board

Underlay material	Parquet	Avatara (Perform)	Laminate dueco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Description	Unit (1 roll/ pack)	Master carton	Art no.	Price excl. VAT £	Price Unit
PE film	•	•	•	•	•	•	- transparent, SD value ≥ 150 m as vapour barrier	30 m ² (15 lin.m. x 2 m width)	10 rolls	45513	1,26	m ²
Foam mat, 2 mm	•		•	•			- Extremely light foam mat with good impact sound reduction (19 dB) - Footfall sound reduction up to min. 15% - For floating installation of wood and laminate floors - Suitable for warm water underfloor heating	15 m ² (15 lin.m. x 1 m width)	22 rolls	1101060268	2,10	m ²
Combi PE foam with aluminium lining, 2 mm	•		•	•			- Impact sound insulation (18 dB) - Moisture barrier with moisture protection SD ≥ 75 - Impact sound insulation up to 18 dB with 2mm thick PE foam with aluminium lining - 1070 mm wide including 70 mm overlap film with self-adhesive strip - Suitable for warm water underfloor heating - Note: install with aluminium lining facing upwards	15 m ² (15 lin.m. x 1 m width)	22 rolls	1101060265	2,73	m ²
Combi PE foam film with aluminium lining, 2 mm	•		•	•			- Impact sound insulation (19 dB) - Moisture barrier with moisture protection SD ≥ 104 - Footfall sound reduction - Reduction of impact sound up to 19 dB with 2 mm PE foam - 1070 mm wide including 70 mm overlap film with self-adhesive strip - Suitable for warm water underfloor heating - Note: install with aluminium lining facing upwards	15 m ² (15 lin.m. x 1 m width)	22 rolls	1101060266	3,35	m ²
Installation insulating board, 5 mm	•		•	•			- particularly suitable for installation on old planked floors - outstanding impact sound insulation (22 dB) - outstanding footfall sound insulation (up to 15 sone) - levels out uneven areas up to 3 mm - excellent thermal insulation - not suited for installation on warm water underfloor heating - very easy to install in the folding board format - note: install with grooved side upwards!	5 m ² (800 x 625 mm)	40 packs	45515	3,35	m ²
End of line article							- for increased antislip-effect and impact sound insulation - for floating installation - optimized acoustic insulation up to 6% (+- 2%) underneath vinyl floorings - excellent footfall sound reduction up to 12 dB underneath vinyl floorings - anti-slip top side protected with PET film - suitable for warm water underfloor heating - easy to use, can be cut to size with an all-purpose cutter - install with protective PET film side up, fleece side down - only remove the protective PET film after this!	10 m ² (10 lin.m x 1000 mm width)	40 rolls	1101060137	6,71	m ²

*only for solid vinyl floors; end of line

Underlay material



AkusTec mat with aluminium lining, 2 mm



AkusTec mat LVT Pro with one-sided adhesive film and fleece lining



AkusTec mat with fleece lining



AkusTec mat with aluminium lining, 3 mm

Underlay material	Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Description	Unit (1 roll/pack)	Master carton	Art no.	Price excl. VAT £	Price Unit
AkusTec mat LVT Pro with one-sided adhesive film and fleece lining, 1,8 mm						•		<ul style="list-style-type: none"> - For floating installation of dryback LVT up to 2.5mm thickness - No special adhesive is required for the glueing of dry-back - Does not contain plasticizers, formaldehyde or solvents - Increases and improves impact sound insulation by up to 15 dB - Simple, time-saving, dirt and dust free installation - Immediatel ready for use / ideal for exhibition stands or shop fitting - Residue-free removal - Increased walking comfort - High fill, heavy, duroplastic mat for optimal dryback installation - Increased long life performance in comparison with lighter thermoplastic underlays - Compensates small unevennesses in the subfloor - The dimensional stability of the top floor covering is not as high as when dryback is glued to the subfloor. 	6,5 m ² (6500 x 1000 mm)	40 rolls	1101060092	9,66	m ²
AkusTec mat with fleece lining, 2 mm	•		•	•				<ul style="list-style-type: none"> - underlay for engineered and laminate floors with impact sound reduction - impact sound reduction up to 18 db - optimized footfall sound reduction up to 29% - excellently suited for warm water underfloor heating - low-emission and without odour - note: Install fleece side facing downwards. Install sheet joints tightly 	7,5 m ² (7500 x 1000 mm)	40 rolls	1101060072	6,30	m ²
AkusTec mat with aluminium lining, 2 mm	•		•	•				<ul style="list-style-type: none"> - for protection against rising damp and impact sound reduction (18 dB) - moisture barrier with moisture protection SD ≥ 100 - optimized footfall sound reduction up to 29% - easy to use, can be cut to size with an all-purpose cutter - excellently suited for warm water underfloor heating thanks to its low thermal resistance - note: aluminium lining must be face up; aluminium sealing tape (45518) necessary for sealing the joints 	7,5 m ² (7,5 lin.m. x 1 m width)	40 rolls	1101060101	7,14	m ²
AkusTec mat with aluminium lining, 3 mm	•		•	•				<ul style="list-style-type: none"> - for protection against rising damp and impact sound reduction - moisture barrier with moisture protection SD ≥ 100 - optimized footfall sound reduction up to 29% - optimized impact sound reduction (up to 20 dB) - excellently suited for warm water underfloor heating - note: aluminium lining must be face up; aluminium sealing tape (45518) necessary for sealing the joints 	5,5 m ² (5500 x 1000 mm)	40 rolls	1101060073	7,98	m ²
Aluminium sealing tape	•		•	•				<ul style="list-style-type: none"> - imperative for sealing the abutting joints of the installed sheets of AkusTec mats - imperative for sealing the head joints of PE film and Combi PE foam film 	50 lin.m. (50 mm width)	30 rolls	45518	5,87	role

Installation accessories

Adhesive recommendation/ See help on following page

Installation adhesives and accessories	Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Description	Pack	Master carton	Art no.	Price excl. VAT £	Price unit
Sikafloor-01 Primer	•	•	•	•	•	•	•	Acrylic primer and sealing compound for mineral substrates. Used for sealing of mineral substrates and enhancing the bond of of cementitious underlayments, industrial grade screeds, mortars, existing floors and tiles. MUST NOT be used as base coat for any type of glue. Coverage: approx. 66 m ² . Coverage: 50 – 80 g/m ² .	10 kg	24 canisters	1101060103	16,80	kg
Sika Primer MR Fast	•	•	•	•	•	•	•	Primer for glueing on difficult substrates. Used as surface densification with SikaBond glues and as a base coat for concrete, cement, gritted poured asphalt and existing floors. Also appropriate as vapour barrier. Coverage approx. 21s m ² . Coverage approx. 200g/m ² .	4,2 kg	1 set	1101060104	29,40	kg
Sikafloor-400 Level	•	•	•	•	•	•	•	Self-spreading floor levelling compound for levelling and smoothing screed floors. The layer must be applied with a minimum of 2 mm. Coverage: approx. 8 m ² . Coverage approx 1.5kg/m ² /mm.	25 kg	42 bags	1101060154	2,31	kg
SikaBond 151 Object	•						•	Solvent-free adhesive for multi-layer parquet and vinyl Perform.**	17 kg	33 buckets	1101060240	7,55	kg
Schönox PU900				•				Solvent free two-component polyurethane adhesive**	7,05 kg	60 buckets	1101060273	16,80	kg
Schönox Protect				•	•	•		Solvent free SMP adhesive also suitable for wet rooms**	14 kg	33 buckets	1101060272	16,80	kg
SikaBond-54 Parquet	•							Solvent free elastic adhesive for wood flooring. For glueing parquet floors and solid wood planks, all wood species; Odourless hardening.**	13 kg	33 buckets	1101060069	9,66	kg
SikaBond-130 Designfloor						•		For the glueing of luxury vinyl tiles.**	14 kg	44 buckets	1101060149	8,39	kg
Toothed spatula B6								For the precise application of SikaBond 151 Objekt	1 piece	10 pieces	1101060274	4,19	piece
Toothed spatula B11	•							For the precise application of SikaBond 151 Objekt and SikaBond 54 Parquet adhesive.	1 piece	20 pieces	45280	4,19	piece
Toothed spatula A1						•		For the precise application of Vinyl Floor Adhesive SikaBond-130 Designfloor.	1 piece	10 pieces	1101060155	4,19	piece
Toothed spatula A2						•		For the precise application of Vinyl Floor Adhesive SikaBond-130 Designfloor.	1 piece	10 pieces	1101060142	4,19	piece
Sika PowerClean cloths	•	•	•	•	•	•	•	Cleaning wipes for the removal of stains caused by non-dried fillers and adhesives. Not harmful to skin. Box contains 50 wipes.	1 box	6 pieces/box	1101060034	29,40	box

Installation accessories	Parquet	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Description	Pack	Master carton	Art no.	Price excl. VAT £	Price unit
Universal tapping block	•			•			•	Necessary for fast and safe floor installation with Tongue & Groove PRO or glue-free ClickTec, LockitEasy or Smart Connect connections	1 piece	5 pieces	1101060269	8,40	piece
Spacer wedges	•	•	•	•	•	•	•	For ensuring the precise distance of the floor from the wall	32 pieces	50 sets	44954	5,87	pack
Professional installation iron	•		•	•	•	•	•	Professional version. For inserting the last planks in each row. 120mm wide tensile area. Hammer block with rubber damper. 5mm felt backing.	1 piece	1 piece	1101060031	21,84	piece
Adhesive D3	•		•	•	•			For glueing the tongue and groove; waterproof. Laminate, Avatara & LVT on HDF - coverage: approx. 25 m ² ; Parquet - coverage: approx. 15 m ² .	600 g	8 bottles	44914	8,39	bottle

*Only for hardwood engineered floor herringbone and System plank formats.

** See adhesive recommendation for coverage.

Accessories

Glue recommendation ter Hürne

+ NEW!

Preparation of subfloor

Subfloor	Bituminous mastic concrete as per EN 13813 (AS)	Cement screed as per EN 13813 (CT)	Calcium sulfate or Calcium sulfate flow screed as per EN 13813 (CA/CAF)	Dry screed / chipboard/ OSB boards
Primer	Sika Primer MR Fast Art. 1101060104	SikaFloor - 01 Primer* Art. 1101060103		
Filler	SikaFloor - 400 Level Art. 1101060154			

Glue

Type of floor/range	Glue	Applicator/ Type of dents	approx. Consumption per sqm approx. reach/pack	Remark
Engineered hardwood flooring				
3-layer parquet	SikaBond 151 Object waterproof SMP adhesive, Art. 1101060240	TKB B11 Art. 45280	approx. 800 bis 1000 g/m ² approx. 15-16 m ² /pack	the subfloor must be treated with SikaFloor- 400 Level before applying the glue
	SikaBond 54 Parquet solvent-free polyurethane adhesive, Art. 1101060069	TKB B11 Art. 45280	approx. 800 bis 1000 g/m ² approx. 13 m ² /pack	also suitable for 2-layer parquet / solid wood as well as problematic wood species
Design floors				
Vinyl Pro 2,5 mm dryback sheet + Vinyl Compact 5 mm solid vinyl	SikaBond 130 Designfloor** Dispersion adhesive, Art. 1101060149	TKB A1 Art. 1101060155	approx. 250 bis 350 g/m ² approx. 45 m ² /pack	
	Schönox Protect SMP adhesive, Art. 1101060272	TKB A1 Art. 1101060155	approx. 250 bis 350 g/m ² approx. 40 m ² /pack	suitable for use in wet areas
	Schönox PU 900 2 component polyurethane adhesive, Art. 1101060273	TKB A2 Art. 1101060142	approx. 250 bis 350 g/m ² approx. 20 m ² /pack	among others critical subfloors like wet areas or areas exposed to strong sunlight or large changes in temperature
Vinyl Comfort 9,1 mm on HDF support and cork back lining	SikaBond 54 Parquet solvent-free polyurethane adhesive, Art. 1101060069	TKB B11 Art. 45280	approx. 800 bis 1000 g/m ² approx. 13 m ² /pack	only for use with step&stair systems
	Schönox Protect SMP adhesive, Art. 1101060272	TKB B11 Art. 45280	approx. 800 bis 1000 g/m ² approx. 14 m ² /pack	
Vinyl PerForm 6 mm Multilayer Rigid and cork back lining	SikaBond 151 Object waterproof SMP adhesive, Art. 1101060240	TKB B6 Art. 1101060274	approx. 850 g/m ² approx. 20 m ² /pack	
dureco floor				
dureco 12 mm	Schönox Protect SMP adhesive, Art. 1101060272	TKB A1 Art. 1101060155	approx. 250 bis 350 g/m ² approx. 40 m ² /pack	only for domestic wet areas
	Schönox PU 900 2 component polyurethane adhesive, Art. 1101060273	TKB A2 Art. 1101060142	approx. 250 bis 350 g/m ² approx. 20 m ² /pack	among others critical subfloors like wet areas

Unless otherwise stated all adhesives are in compliance as stated in EC1 PLUS / EC 1 PLUS R as per GEV. Please observe the technical information in our product data sheets, our installation instructions, the relevant regulations, guide lines and information leaflets. If in doubt we recommend a practical test and/or to contact the manufacturer.

We do not accept the return of adhesives with a „best before“ date.

<https://www.terhuerne.de/service/download-center/>

* after use of Sika Level-01 Primer the SikaFloor- 400 Level must be applied.

** when using SikaBond-130 Designfloor for the installation of vinyl, Rigid or Dryback the floor must be levelled using SikaFloor- 400 Level before applying the adhesive

Accessories

Care and maintenance

The ter Hürne floor care and maintenance system

Perfectly matched for ter Hürne floors.

For best care, ideal protection and maximum safety of ter Hürne floor products, we have created a compact care system together with Dr. Schutz.

The right solution, whether for maintenance cleaning, refreshment or for the special protection of ter Hürne floors.

Focus on health and environment:

Cleaning and care products are classified as chemical substances subject to registration in the EU. The product label is marked with a unique formula identifier (UFI) which ensures the necessary information is available in the case of a medical emergency.

Conservation of floor value guaranteed:

The correct cleaning and care guarantees you long-lasting pleasure with your floor.

Protection for special challenges:

Sealants for professional use in case of heavy traffic and use of the floor area.

Product information and application:

For the application of the care products, the teams of ter Hürne and Dr. Schutz are happy to advise you. Please note the product information available at: www.terhuerne.de und www.dr-schutz.com.

Maintenance overview – by ter Hürne

Floor assortment	Cleaning & Care	Refreshing	Basic cleaning	Stain removal
Engineered Hardwood Flooring natural oiled	Wood Care for oiled floors 1101060280	Premium Care Oil for Wood Floors 1101060282	Wood Floor Deep Clean 1101060278	Elatex Stain Remover 1101060284
Engineered Hardwood Flooring natural oiled, white pigmented	Wood Care for oiled floors white 1101060281	Euku Refresher white - Care oil for wood floors 1101060283	Wood Floor Deep Clean 1101060278	
Engineered Hardwood Flooring lacquered	Wood & Cork Floor Cleaner 1101060277	Floor Mat 1101060279	Wood Floor Deep Clean 1101060278	
Avatara Designfloor 3.0	PU Cleaner 1101060275	Floor Mat 1101060279	-	
Luxury Vinyl Tiles	PU Cleaner 1101060275	Floor Mat 1101060279	-	
dureco	Laminate Cleaner 1101060276	-	-	
Laminate	Laminate Cleaner 1101060276	-	-	

Professional sealants for design floors (Avatara design floors 3.0 and design vinyl floors) for special requirements:

1101060285* Dr. Schutz PU Sealer satin
1101060286* Dr. Schutz PU Anticolor mat





*Delivery time about 2-3 weeks.



Accessories

Care and maintenance




Care & Cleaning for parquet floors

Care accessories	EHF	Avstara	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Product description	Content (ml/bottle)	Content (piece/box)	Article no.	Price excl. VAT (£/bottle)
								„Solvent-free cleaner for initial cleaning after installation work and for the regular cleaning of all wood and cork floors which have been provided with a water-resistant seal. Consumption of regular cleaning: approx. 0.1 litres per 100 sqm“	750	6	1101060277	8,20
								"Gentle special intensive cleaner for water-proof, sealed parquet and cork floors. Designed to remove cleaning product residues and polymer dispersion films. Also suitable for intensive cleaning of oiled and waxed floors. Consumption 3-5 litres per 100 sqm (oiled floors)"	750	6	1101060278	10,91
								"Matt polymer dispersion for the initial care of newly laid, or strip-cleaned floors, and for the refreshing of PU coated floors. For domestic and commercial use. Free of metal. Protects the floor with an elastic, slip-resistant, matt care film. Dirt adhesion is reduced and day to day cleaning is made easier. Consumption care and refreshing: approx. 2-3 litres per 100 sqmand for maintenance cleaning: approx. 0.2 litres per 100 sqm"	750	6	1101060279	10,91
								"Cleans and cares for all oiled and oiled/waxed wood and cork floors in one step. Top cleaning power based on natural soaps with an optimum pH level. Consumption for maintenance cleaning: approx. 0.2 litres per 100 sqm"	750	6	1101060280	9,04

Accessories

Care and maintenance






Care accessories	EHF	Avstara	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Product description	Content (ml/bottle)	Content (piece/box)	Article no.	Price excl. VAT (£/bottle)
								„Cleans oiled and oiled/waxed wood and cork floors. Top cleaning power based on natural soaps with an optimum pH level. White pigmented version of Wood Care enables regular refreshing of white coloration of the floors in the framework of daily cleaning. Consumption for maintenance cleaning: approx. 0.2 litres per 100 sqm“	750	6	1101060281	12,40
								"Deeply penetrating care-oil on the basis of vegetable oils and carnauba wax. Refreshes dull, especially heavily used and intensively cleaned oil surfaces anew. Enhances wood grain. Good penetrating properties and high filling capacity. Satin-matt appearance. Consumption: 10-20 ml/m ² = 1-2 litres per 100 sqm"	1000	4	1101060282	41,16
								"Aftercare Follow-up impregnation based on natural oils and waxes for the care treatment of floors in private residences and public buildings. Consumption: 30-50 ml/m ² = approx. 3-5 litres pr 100 qm"	1000	2	1101060283	38,65

Accessories



Care and maintenance

Cleaning and Care for Design and laminate floors

Care accessories	EHF	Avatara	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Product description	Content (ml/bottle)	Content (piece/box)	Article no.	Price excl. VAT (£/bottle)
								"Cleaning concentrate for initial treatment after completion of installation work and day to day cleaning of factory-applied PU/ PUR finishes, or with floors treated with a Dr. Schutz PU Sealer. High cleaning power, even on residues containing grease. Consumption: Initial cleaning after installation: approx 2 litres per 100 square meters Consumption maintenance cleaning: approx. 0.1 litres per 100 square meters"	750	6	1101060275	8,20
								"Mild neutral cleaning agent for the regular cleaning of laminate floors. Consumption regular cleaning cleaning: approx. 0.1 litres per 100 square meters"	750	6	1101060276	8,20
								"for carpet, vinyl, linoleum, laminate and sealed wood and cork floors"	200	6	1101060284	11,76


Accessories

Care and maintenance

Care accessories	EHF	Avatara	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Product description	Content (ml/bottle)	Content (piece/box)	Article no.	Price excl. VAT (£/bottle)
								"Special water-based 2 part polyurethane sealer for the long-term protection of floors. Only for professional users. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hardwearing sealer film, excellent elasticity and good resistance against colorless chemicals. Optional in one-coat system with 1x 100ml/m² or in two-coat system with 2 x 50ml/m². Easy and safe to apply with excellent adhesion. High solids content. No intrinsic yellowing. Tested according to DIN 18032-2 and DIN EN 14904, suitable for sports floors (satin). Very low emission (EMICODE: EC1). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9. Range approx. 55 m²"	5500	1	1101060285*	294,11
								"Water-based 2part-polymer-sealer with especially high cross-linking density and therefore high resistance to coloured dyes, plasticizers and chemicals. Only for professional use. Reduces dirt adhesion and the time needed for day-to-day maintenance. Hard-wearing sealer-film, excellent elasticity. Easy and safe to apply with excellent adhesion. High solids content. Low emission (EMICODE: EC2). abZ-Nr. Z-157.20-69, emission tested building material. Slip-resistant category R9. Range approx. 60 m²"	6000	6	1101060286*	361,33

*Delivery time about 2-3 weeks.

Repair

Hard wax repair set	Parquet	Avatara (Comfort)	Avatara (Perform)	Laminate	dureco	Vinyl (Comfort)	Vinyl (Pro)	Vinyl (Perform)	Description	Contents (sets/box)	Art no.	Price excl. VAT (£/set)
									- for the repair of minor damages to the floor surface (e.g. scratches, indentations, small holes) - for use with parquet, laminate and elastic floors - for all wood tones; colours can be combined when melted - Repair set includes hard wax sticks in 9 colours & transparent, battery-operated hard wax melter, applicator and clear lacquer pen to seal/protect	1	1101060150	75,62

2020.37 | GB-UK | S2020.01

General Sales Conditions for ter Hürne GmbH & Co. KG

§ 1 Scope, form

- (1) The present General Sales Conditions (GSCs) apply to all of our business relationships with our customers ("Buyers"). The GSCs shall only apply if the Buyer is an entrepreneur (§ 14 BGB [German Civil Code]), a legal entity under public law, or a special fund under public law.
- (2) The GSCs shall particularly apply to contracts regarding the sale and/or delivery of movable property ("Goods"), regardless of whether we produce the Goods ourselves or purchase them from suppliers (§§ 433, 651 BGB).
- (3) Our GSCs apply exclusively. Any deviating, conflicting or supplementary General Terms and Conditions of the Buyer shall only become part of the contract if and to the extent that we have explicitly agreed to their applicability. This agreement requirement applies in every case, for instance even if we are aware of the Buyer's GTCs and nonetheless provide a delivery to the Buyer without reservations.
- (4) Individual agreements established with the Buyer in individual cases (including side agreements, additions, and changes) shall take precedence over these GSCs in every case. Subject to evidence to the contrary, a written contract and/ or our written confirmation shall be definitive for the content of such agreements.
- (5) Legally significant declarations and announcements by the Buyer regarding the contract (e.g. deadlines, defect notifications, cancellation or reduction) must be made in writing, in other words in written or text form (e.g. letter, email, or fax). Statutory form requirements and other required proof, particularly in case of doubts regarding the legitimacy of the party making the declaration, remain unaffected.
- (6) References to the applicability of statutory requirements are merely for clarification purposes. Even without such clarification, the statutory provisions therefore apply unless they have been directly modified or explicitly excluded in these GSCs.

§ 2 Conclusion of contract

- (1) Our offers are subject to change and are non-binding. This applies even if we provide the Buyer with catalogs, technical documentation (e.g. drawings, plans, calculations, references to DIN standards), other product descriptions, or materials – including in electronic form – for which we have reserved property rights and copyrights.
- (2) An order of Goods placed by the Buyer is considered a binding contractual offer. Unless otherwise stated in the order, we are entitled to accept this contractual offer within 4 weeks after we receive it.
- (3) Acceptance can take place either in writing (e.g. through an order confirmation) or by delivery of the Goods to the Buyer.

§ 3 Delivery deadline and delay in delivery

- (1) The delivery deadline shall be established on a case-by-case basis and/or specified by us upon acceptance of the order. If this is not the case, the delivery deadline shall be approx. 8 weeks after the conclusion of contract.
- (2) We shall not be liable for impossibility of delivery or for delays in delivery if this is caused by force majeure or by other circumstances that were unforeseeable at the time when the contract was concluded (e.g. operational disruptions of all kinds, difficulties in procuring materials or energy, transport delays, strikes, legal lockouts, shortages of labor, energy or raw materials, difficulties in obtaining the necessary official permits, official measures, or missing, incorrect, or late deliveries by suppliers) and for which we are not responsible. If such circumstances make it significantly more difficult or impossible for us to provide delivery and if the impairment is not merely temporary, we are entitled to cancel the contract. In the event of temporary hindrances, delivery deadlines shall be extended by the length of the hindrance plus an appropriate lead time. If, as a result of the delay, the Buyer cannot be expected to accept delivery, the Buyer can withdraw from the contract by providing us with an immediate written declaration to this effect.
- (3) The start of our delay in delivery shall be determined according to the statutory provisions. In every case, however, the Buyer must provide a warning.
- (4) The Buyer's rights as per § 8 of these GSCs and our statutory rights, particularly if the performance obligation is excluded (e.g. because performance and/or supplementary performance is impossible or unreasonable), remain unaffected.

§ 4 Delivery, transfer of risk, acceptance, default of acceptance

- (1) Unless otherwise established in individual cases, delivery shall be provided EXW (Ex Works, Incoterms 2010) Ramsdorfer Str. 5, 46354 Südlohn, Germany, which is also the place of fulfillment for delivery and potential supplementary performance. At the Buyer's request and expense, goods can also be sent to a different destination (sales shipment). Unless otherwise agreed, we are entitled to determine the shipment type ourselves (particularly the transport company, shipment method, and packaging).
- (2) The risk of accidental destruction and accidental deterioration of the Goods shall be transferred to the Buyer at the latest when they are handed over. However, for sales shipments the risk of accidental destruction and accidental deterioration of the Goods as well as the risk of delays shall be transferred when the Goods are delivered to the shipper, freight forwarder, or another person or entity designated to perform the shipping. If acceptance is required, this is definitive for the transfer of risk. For the rest, the statutory provisions of contract law for work and labor apply correspondingly to any agreed acceptance. If the Buyer is in default with acceptance, this shall be considered equivalent to handover and/or acceptance.
- (3) In the event of non-acceptance, we can exercise our statutory rights. If we request damage compensation, this shall be 15% of the purchase price. Damage compensation can be higher or lower if we can demonstrate greater damage or if the Buyer can demonstrate that the damage was less or non-existent.

§ 5 Prices and payment conditions

- (1) Unless otherwise established in individual cases, our current prices at the time when the respective contract was concluded shall apply EXW (Ex Works, Incoterms 2010) Ramsdorfer Str. 5, 46354 Südlohn, Germany, plus statutory value added tax.
- (2) For sales shipments (§ 4 Sec. 1), the Buyer shall bear the transport costs ex warehouse and the costs of transport insurance if requested by the Buyer. If we do not invoice the actual transport costs in individual cases, a flat transport-cost fee (excluding transport insurance) of EUR 50.00 is considered to be agreed. Any customs duties, fees, taxes, and other public charges shall be borne by the Buyer.
- (3) Unless otherwise established in individual cases, the purchase price shall be due and payable immediately upon invoicing and delivery and/or acceptance of the Goods. However, we are entitled, even in the context of an ongoing business relationship, to provide deliveries in full or in part only in exchange for payment in advance. We shall declare any such reservation at the latest upon confirmation of the order.
- (4) At the end of the above payment period, the Buyer shall be considered in default. The purchase price shall be subject to the applicable statutory interest rate during the period of default. We reserve the right to claim further default damages. Our claim to commercial maturity interest (§ 353 HGB) from merchants remains unaffected hereby.
- (5) The Buyer is only entitled to offsetting or retention rights if and to the extent that the Buyer's claim is legally established or undisputed. In the event of defects in the delivery, the Buyer's counter-rights, particularly as per § 7 Sec. 6 Sentence 2 of these GSCs, shall remain unaffected.
- (6) If it becomes apparent after conclusion of the contract (e.g. due to a request to initiate insolvency proceedings) that our claim to the purchase price is threatened by the Buyer's lack of solvency, the statutory provisions entitle us to refuse performance and – after setting a grace period if applicable – to withdraw from the contract (§ 321 BGB). For contracts regarding the production of non-fungible goods (custom manufacturing), we can declare our withdrawal immediately; the statutory provisions regarding the dispensability of setting a grace period shall remain unaffected.

§ 6 Reservation of title

- (1) Until all of our current and future receivables from the purchase contract and any ongoing business relationship (secured receivables) have been paid in full, we shall reserve the title to the sold Goods.
- (2) The Goods subject to reservation of title may not be pledged to third parties or transferred by way of security until the secured receivables have been paid in full. The Buyer must inform us immediately in writing if an application to initiate insolvency proceedings has been submitted or if third-party access (e.g. pledging) is established for Goods that belong to us.
- (3) In the event of non-contractual conduct by the Buyer, particularly the failure to pay the owed purchase price, we shall be entitled to withdraw from the contract according to the statutory provisions and/or to request the return of the Goods on the basis of the reservation of title. A request for return does not automatically mean a withdrawal declaration; rather, we are entitled to simply request the return of the Goods and reserve the right to withdraw from the contract. If the Buyer does not pay the owed purchase price, we may only assert these rights if we have first set an appropriate payment grace period for the Buyer, without success, or if such a grace period is not required by the statutory provisions.
- (4) Until revocation as per (c) below, the Buyer is entitled to resell and/or process the Goods subject to reservation of title within the ordinary course of business. In this case, the following provisions shall also apply.
 - (a) The reservation of title extends to the full value of any products created by processing, mixing, or combining our Goods; here we shall be considered the manufacturer. If a third party's ownership rights are preserved during the processing, mixing, or combining of our Goods with the third party's goods, we shall obtain co-ownership in relation to the invoice value of the processed, mixed, or combined goods. For the rest, the same rules shall apply for the resulting product as for the Goods delivered subject to reservation of title.

- (b) By way of security, the Buyer hereby assigns to us in advance any receivables from third parties resulting from the resale of the Goods or the product, either in full and/or in the amount of our co-ownership share as per the above Section. We hereby accept this assignment. The Buyer's obligations named in Sec. 2 shall also apply with regard to the assigned receivables.
- (c) The Buyer shall remain authorized to collect receivables in addition to us. We hereby agree not to collect a receivable as long as the Buyer fulfills its payment obligations to us and does not have a lack of solvency, and as long as we do not assert our reservation of title by exercising a right as per Sec. 3. However, if this is the case, we can request that the Buyer notify us of all assigned receivables and the respective debtors, provide all information needed to collect the receivables, issue the associated documents, and inform the debtors (third parties) of the assignment. In addition, in this case we are entitled to revoke the Buyer's authorization to resell and process the Goods subject to reservation of title.
- (d) If the realizable value of the securities exceeds our receivables by more than 10%, we shall release our choice of securities at the Buyer's request.

§ 7 Defect claims by the Buyer

- (1) The Buyer's rights regarding material defects and defects of title (including incorrect and short deliveries as well as improper assembly or faulty assembly instructions) shall be subject to the statutory provisions unless otherwise established below. In all cases, the special statutory requirements for final delivery of the Goods to a consumer shall remain unaffected (supplier regress as per §§ 478, 479 BGB).
- (2) Above all, our defect liability is based on the agreement regarding the characteristics of the Goods. This is subject to deviations in structure or color where these are due to the nature of the materials used and are customary in the trade.
- (3) If no characteristics were agreed upon, the statutory provisions shall be used to determine whether a defect exists or not (§ 434 Sec. 1 pp. 2 and 3 BGB). However, we do not assume any liability for public statements made by third parties (e.g. in advertising messages).
- (4) The Buyer's defect claims require the Buyer to have fulfilled its statutory inspection and complaint obligations (§§ 377, 381 HGB). If a defect is found during the inspection or thereafter, we must be informed of this immediately in writing.
- (5) We shall not be liable for defects caused by circumstances beyond our control. Such circumstances particularly include unsuitable or inappropriate use, incorrect or improper handling, natural wear and tear, moisture, excessive heating of the rooms, temperature and weather influences, as well as inappropriate interventions in the delivered Goods by the Buyer and/or third parties.
- (6) If the delivered Goods are defective, we can first decide whether we will provide supplementary performance by rectifying the defect (repair) or by delivering a fault-free item (replacement delivery). Our right to refuse to provide supplementary performance according to the statutory requirements remains unaffected.
- (7) We are entitled to make the owed supplementary performance dependent upon the Buyer's payment of the owed purchase price. However, the Buyer is entitled to withhold an appropriate portion of the purchase price according to the extent of the defect.
- (8) The Buyer shall give us the necessary time and opportunity to provide the owed supplementary performance, particularly by handing over the Goods subject to a complaint for inspection purposes. In the case of a replacement delivery, the Buyer must return the defective item to us according to the statutory provisions.
- (9) Any expenses incurred for the inspection and supplementary performance, particularly transport, travel, labor, and material costs, shall be borne by us if a defect is found to exist. Otherwise we can request reimbursement from the Buyer for any costs (particularly inspection and transport costs) incurred for the unfounded defect rectification request, unless the Buyer was unable to determine the absence of a defect.
- (10) The Buyer's claims for damage compensation and/or compensation for futile expenditures, even in the case of defects, shall only apply as defined in § 8 and are otherwise excluded.

§ 8 Other liability

- (1) Unless otherwise established by these GSCs, including the following provisions, we shall be liable as per the statutory regulations for any violation of contractual or non-contractual obligations.
- (2) Regardless of legal grounds, we shall be liable for damage compensation within the scope of fault-based liability in the case of intent and gross negligence. In the case of simple negligence, we shall only be liable according to the statutory requirements, subject to a more lenient standard of liability (e.g. for the duty of care in our own affairs), for
 - a) damage due to a loss of life, bodily injury, or damage to health,
 - b) damage caused by a significant violation of a major contractual obligation (an obligation that must be fulfilled in order to permit the proper execution of the contract and which the contractual partner regularly expects and may reasonably expect to be fulfilled); in this case, however, our liability is limited to compensation for foreseeable, typically occurring damage.
 - (3) The liability limitations resulting from Sec. 2 also apply to obligations that are violated by, and/or for the benefit of, persons whose culpability is our responsibility according to the statutory requirements. They do not apply if we fraudulently concealed a defect or provided a guarantee of the characteristics of the Goods, or for the Buyer's claims as per the Product Liability Act.
 - (4) The Buyer can only withdraw from or terminate the contract due to a violation of obligations other than a defect if we are responsible for this violation. The Buyer's free right of termination (particularly as per §§ 651, 649 BGB) is hereby excluded. For the rest, the statutory requirements and legal consequences apply.

§ 9 Limitation period

- (1) In deviation from § 438 Sec. 1 No. 2 BGB, the general limitation period for claims from material defects and defects of title shall be one year from the time of delivery. If acceptance is required, the limitation period shall begin at the time of acceptance.
- (2) However, if the Goods are a building or an item that was used for a building according to its customary application and which caused it to be defective (building material), the limitation period as per the statutory provision shall be 5 years from the time of delivery (§ 438 Sec. 1 No. 2 BGB). Other special statutory provisions regarding the limitation period (esp. § 438 Sec. 1 No. 1, Sec. 3, §§ 444, 479 BGB) shall also remain unaffected.
- (3) The above limitation periods for the purchase right shall also apply to the Buyer's contractual and non-contractual damage compensation claims based on a defect in the Goods unless the application of the regular statutory limitation period (§§ 195, 199 BGB) would lead to a shorter limitation period in individual cases. However, the Buyer's damage compensation claims as per § 8 Sec. 2 Sentence 1 and Sentence 2(a) as well as under the Product Liability Act shall lapse exclusively according to the statutory limitation periods.

§ 10 Returns

- (1) Our products may only be returned with our permission; returns must indicate our invoice number. Accessory items with an expiration date may not be returned. A cost share amounting to at least 33% of the value of the Goods shall be charged for processing these returns.
- Custom-made items are fundamentally excluded from returns. Against our claims, the customer has the right to provide proof that our losses were significantly lower than claimed or non-existent.

§ 11 Choice of law and place of jurisdiction

- (1) These GSCs and the contractual relationship between us and the Buyer are subject to the law of the Federal Republic of Germany to the exclusion of uniform international law, particularly the UN Sales Convention.
- (2) If the Buyer is a merchant in the sense of the German Commercial Code, a legal entity under public law, or a special fund under public law, the exclusive place of jurisdiction for all disputes arising directly or indirectly from the contractual relationship – including internationally – shall be our registered offices in Südlohn, Germany. The same shall apply correspondingly if the Buyer is an entrepreneur in the sense of § 14 BGB. In every case, however, we are also entitled to file a suit at the place of fulfillment for the delivery obligation as per these GSCs and/or a prior-ranking individual agreement, or at the Buyer's general place of jurisdiction. Prior-ranking statutory regulations, particularly regarding exclusive competences, remain unaffected.

ter Hürne GmbH & Co. KG

Ramsdorfer Straße 5 · 46354 Südlohn · Germany

Issued October 2017

You will find the latest version of the terms of delivery and payment at www.terhuerne.de

Notes

Contact

ter Hürne GmbH & Co. KG
Ramsdorfer Str. 5 · 46354 Südlohn
Phone: +49 2862 701-313
E-Mail: export@terhuerne.de
www.terhuerne.de